

# PREMIUM LASER

PREMIUM LASER is engineered for converting needs. PREMIUM LASER is available in high-bright white shade and is produced using 100% ECF pulp from PEFC certified renewable plantation fibre. This paper is alkaline sized to meet ISO 9706 for archival quality.

## BENEFITS



No Post Print Curling



Vibrant Colors



Sharp And Crisp Lines



Lesser Color Bleed

## SPECIFICATIONS

CHARACTERISTICS	UNITS	QUALITY SPECIFICATION			TEST METHOD
Basis Weight	gsm	70	75	80	ISO 536
Thickness	µm	97	103	107	ISO 534
Moisture	%	4	4	4	ISO 287
Cobb 60	gsm	23	23	23	ISO 535
CIE Whiteness	#	160	160	160	ISO 11475
ISO Brightness	%	94	94	94	ISO 2470
ISO Opacity	%	93	94	94	ISO 2471
Roughness	ml/min	190	190	190	ISO 8791-2

## END USES

- Statements
- Plotter Rolls
- Continuous Forms
- Trans-promotional
- Letterheads
- Variable Data Books and Magazines

## PRINTING METHODS

- Laser

## FINISHINGS

- Gluing
- Spiral Binding
- Limp Binding
- Saddle Stitch
- Perfect Binding
- Cutting and Folding



Specifications are accurate as of Oct 2015 in accordance with international standards for tolerances and are subjected to changes.

